

ADMAX

ADVANCED MULTIFUNCTIONAL ADBLUE ADDITIVE

DESCRIPTION

Professional product developed to ensure the reliability of the Adblue® system. Increases the efficiency of Adblue®. Prevents the formation of crystals in the selective catalytic reduction system (SCR) as well as the contamination of Adblue® injectors. Condition and protect the Adblue® during long term storage.

BASIC BENEFITS

- Avoids crystal formation in SCR.
- Lower nitrogen oxide (NOX) emissions.
- SCR remains like new.
- Prevents blockages in the SCR cat.

PROPERTIES

- Accelerates the conversion of urea into ammonia.
- Prevents crystallization at temperatures below -10°C.
- Increases the efficiency of the SCR cat.
- Longer service life of SCR.
- Prevents corrosion of the exhaust system.

APPLICATION

For use in all diesel vehicles with adblue. Only add this additive to the adblue reservoir. For passenger vehicles, large diesel engines of trucks and other heavy machinery.

DIRECTIONS FOR USE

Dosage 1:500. Add 25 ml of Admax before filling up with Adblue®, this for a tank up to 12L.

Store at max 40°C and at least -10°C.

TYPICALS

Physical state	Liquid
Color	colourless
Melting point	- 75 °C
Flash point	> 125 °C
Density at 20 °C	0,930 g/cm ³
Boiling point	202°C

PACKAGING

250 ml can with dosing system (20 x 250 ml carton) – ref : 3567250

