

PETROL MULTI CONDITIONER

MULTIFUNCTIONAL ADVANCED PETROL FUEL ADDITIVE

DESCRIPTION

Advanced multifunctional petrol fuel additive that improves general performance of the petrol engine and exhaust treatment systems.

BASIC BENEFITS

- Increased power and dynamics of the engine.
- Smoother engine running.
- Improved engine reliability.
- Fuel savings.
- Reduction of CO₂ levels.
- Economical and easy to use.

PROPERTIES

- Cleans and lubricates injectors, valves and fuel systems.
- Protects the fuel system from corrosion.
- Protects fuel from oxidation.
- Neutralises water in the fuel tank.
- Protects fuel systems against corrosion and oxidation.
- Prevents clogging and compromising of the catalytic convertors.

APPLICATION

For daily performance and preventive use.

Suitable for all Petrol engines including the latest generation directly injected with exhaust treatment systems.

DIRECTIONS FOR USE

Add 25 ml per 25 litres of petrol fuel (1:1000) each time before filling up.

TYPICALS

Physical state:	liquid	Decomposition temperature:	Undetermined.
Colour:	Yellow	Oxidizing properties:	not oxidizing.
pH-Value:	Not applicable.	Vapour pressure (at 20 °C):	2 hPa
Melting point:	Undetermined.	Density (at 20 °C):	0,82 g/cm ³
Initial boiling point and boiling range:	175 °C	Water solubility (at 20 °C):	not miscible
Flash point:	68 °C	Partition coefficient:	Undetermined.
Ignition temperature:	236 °C	Viscosity / kinematic:	Undetermined.
Auto-ignition temperature:		Evaporation rate (at 20 °C):	Undetermined.
Solid:	Undetermined.		
Gas:	Undetermined.		

PACKAGING

250 ml can with dosing system (20 x 250 ml carton)

60 L drum - 208 L drum

